

Security cylinder T80

Technical data

Reversible dimple key with open key blank distribution.

Characteristics


- » Type: Dimple key. (Nickel silver).
- » Number of rows: 2
- » Number of pins: 8
- » Combination level: Grade 6
- » Technology: Tumbler regular.
- » Corrosion resistance: Grade B.
- » Anti pick cylinder lock
- » Drill resistant.
- » Bump proof model.
- » Lifespan: 100,000 test cycles.
- » 3 / 5 keys per cylinder.
- » Conform to EN-1303 regulation

Options

- » Double security clutch.
- » Modular. (Specially designed for either unusual measurements or anti snap protection)
- » Cams: DIN R15, R13.
- » Finishes: Brass / Nickel.
- » Formats available: Key different, master keyed, key alike and specific codes.
- » A wide range of sizes and profiles.

Master key systems

The eight position chambers and the possibility of varying side pins makes T80 the most suitable option for those master key systems where the number of key functions is large and the copy control is not required.




Recommendations




- » Use TESA lubricant to lengthen the maximum lifespan of the cylinder.
- » Use original keys to make copies.
- » For safety reasons, when you select a new cylinder, remember that once installed, it should not project more than 1mm.



Security cylinder T80

European profile

 32 units (L≤90)
30 units (L>90)

Double european		L	A	B	Cam = 15 mm	Finish	Short cam Cam = 13,2 mm	Finish	
		60	30	30	T855 30 30 L	Brass	M850 30 30 N	Nickel	
		65	30	35	T855 30 35 L	Brass	M850 30 35 N	Nickel	
		70	30	40	T855 30 40 L	Brass	M850 30 40 N	Nickel	
		70	35	35	T855 35 35 L	Brass	M850 35 35 N	Nickel	
		75	30	45	T855 30 45 L	Brass	M850 30 45 N	Nickel	
		75	35	40	T855 35 40 L	Brass	M850 35 40 N	Nickel	
		80	30	50	T855 30 50 L	Brass	M850 30 50 N	Nickel	
		80	35	45	T855 35 45 L	Brass	M850 35 45 N	Nickel	
		80	40	40	T855 40 40 L	Brass	M850 40 40 N	Nickel	
		85	35	50	T855 35 50 L	Brass	M850 35 50 N	Nickel	
		90	30	60	T855 30 60 L	Brass	M850 30 60 N	Nickel	
		90	35	55	T855 35 55 L	Brass	M850 35 55 N	Nickel	
		90	40	50	T855 40 50 L	Brass	M850 40 50 N	Nickel	
		90	45	45	T855 45 45 L	Brass	M850 45 45 N	Nickel	
		100	30	70	T855 30 70 L	Brass	M850 30 70 N	Nickel	
		100	40	60	T855 40 60 L	Brass	M850 40 60 N	Nickel	
		100	50	50	T855 50 50 L	Brass	M850 50 50 N	Nickel	
		110	30	80	T855 30 80 L	Brass	M850 30 80 N	Nickel	
		110	50	60	T855 50 60 L	Brass	M850 50 60 N	Nickel	
		120	30	90	T855 30 90 L	Brass	M850 30 90 N	Nickel	
	120	40	80	T855 40 80 L	Brass	M850 40 80 N	Nickel		
	120	60	60	T855 60 60 L	Brass	M850 60 60 N	Nickel		
	130	30	100	T855 31 00 L	Brass	M850 31 00 N	Nickel		
	140	40	100	T855 41 00 L	Brass	M850 41 00 N	Nickel		
	150	50	100	T855 51 00 L	Brass	M850 51 00 N	Nickel		
	160	60	100	T855 61 00 L	Brass	M850 61 00 N	Nickel		
Single european		L	A	B	Cam = 15 mm	Finish	Cam = 13,2 mm	Finish	
		40	30	10	T855 30 10 L	Brass	M850 30 10 N	Nickel	
		45	35	10	T855 35 10 L	Brass	M850 35 10 N	Nickel	
		50	40	10	T855 40 10 L	Brass	M850 40 10 N	Nickel	
		60	50	10	T855 50 10 L	Brass	M850 50 10 N	Nickel	
		70	60	10	T855 60 10 L	Brass	M850 60 10 N	Nickel	
		80	70	10	T855 70 10 L	Brass	M850 70 10 N	Nickel	
		90	80	10	T855 80 10 L	Brass	M850 80 10 N	Nickel	
		100	90	10	T855 90 10 L	Brass	M850 90 10 N	Nickel	
	Knob European		L	A	B	Cam = 15 mm	Finish	Cam = 13,2 mm	Finish
			60	30	30	T85B 30 30 L	Brass	M85B 30 30 N	Nickel
		65	30	35	T85B 30 35 L	Brass	M85B 30 35 N	Nickel	
		70	35	35	T85B 35 35 L	Brass	M85B 35 35 N	Nickel	
		70	40	30	T85B 40 30 L	Brass	M85B 40 30 N	Nickel	
		80	30	50	T85B 30 50 L	Brass	M85B 30 50 N	Nickel	
		80	40	40	T85B 40 40 L	Brass	M85B 40 40 N	Nickel	
		85	35	50	T85B 35 50 L	Brass	M85B 35 50 N	Nickel	
		90	30	60	T85B 30 60 L	Brass	M85B 30 60 N	Nickel	
		90	45	45	T85B 45 45 L	Brass	M85B 45 45 N	Nickel	



* If you wish to order copies of the same key or masterkeying, just add KA or AM at the end of each reference.



* Brass-plated finish in R13 NOT AVAILABLE



D



Security cylinder T80



European profile

European modular heads (to be used with the modular cases)		L	A	B	-	Finish	-	Finish
		30	30	--	T80530LMD	Brass	T80530NMD	Nickel
		45	45	--	T80545LMD	Brass	T80545NMD	Nickel
		60	30	30	T80560LMD	Brass	T80560NMD	Nickel
		75	30	45	T80575LMD	Brass	T80575NMD	Nickel
		90	45	45	T80590LMD	Brass	T80590NMD	Nickel

Padlock exchangeable		L	A	B	Product code	Finish
		-	-	-	T85CL55L	Brass
		-	-	-	T85CL55N	Nickel

Adjustable cam. Single profile (4 positions)		L	A	B	Product code	Finish
		40	30	10	T85W3010L	Brass
		40	30	10	T85W3010N	Nickel

Adjustable european cylinder		L	A	B	Product code	Finish
		40	30	10	T85R3010L	Brass
		40	30	10	T85R3010N	Nickel
		50	40	10	T85R4010L	Brass
		50	40	10	T85R4010N	Nickel

Euro cylinder for lock set 3520.		L	A	B	Product code	Finish
		40	30	10	T852520L	Brass
		40	30	10	T852520N	Nickel

* To process "master keyed" and "key alike" orders add either AM or KA in each part number, respectively.

Security cylinder T80

Round profiles

Round for TS lock sets		Ø	Inside length	Outside length	Product code	Finish
Inside		28	30	45	T8TS40LC	Brass
		28	30	45	T8TS40LT	Brass
Outside						

The ref. LC includes external shield and fixing plate.

Round for TS lock sets		Ø	Inside length	Outside length	Product code	Finish
Inside		28	30	Adjustable	T8TSRFLC	Brass
		28	30	Adjustable	T8TSRFLT	Brass
Outside						

The ref. LC includes external shield and fixing plate.


Adjustable round cylinder		Ø	Inside length	Outside length	Product code	Finish
Inside		28	-	Adjustable	55T805LT	Brass
		28	-	Adjustable	55T805LN	Nickel
Outside						

* To process "master keyed" and "key alike" orders add either AM or KA in each part number, respectively.



Security cylinder T80

Round profiles



* Tubes to extend the length of the cylinder are sold apart
Part number with "H" = AUMON / Serraller = "V"

Round for AUMON & Serraller locks		Ø	Inside length	Outside length	Product code	Finish
		26	-	Adjustable	T85REGAUHL	Brass
		26	-	Adjustable	T85REGAUHN	Nickel
		26	-	Adjustable	T85REGAUVL	Brass
		26	-	Adjustable	T85REGAUVN	Nickel
Accessories	Lenght				Product code	Finish
TUBE	22				TUB2526L22L	Brass
TUBE	22				TUB2526L22N	Nickel