


Key-in-lever locksets




ASSA ABLOY

Squaring the advantages

- » Multifunctional mechanism for knob or lever, with high component robustness and soft operation.
- » High-end commercial and residential applications.



Dimensions in mm















Features	Standard	Special
Technical features	Anti-thrust security pin for functions 0, 1 and 2.	Panic release system: in key models, even when locked, the door can always be opened from inside.
Anti-corrosion resistance ASTM B117/90	CR,CM,NS ... 144 hours LP,LM... 96 hours	
Door thickness	33-45 mm for handles. 33-52 mm for knobs. Except function 07: 40-50mm	Up to 75 mm
ANSI A156.2	Grade 2: 400.000 cycles.	
UL		Up to 1,5 hours of Fire proof
Cylinder	5 pin cylinder with 3 keys.	Security Cylinder: T60, T80, TX80, T10, T12. Masterkeying and keyed alike.
Latch	60/70 Adjustable backset. Latchbolt projection 12,5 mm	127 mm rounded forend.
Accessories	Strike, screws, instructions and assembly template.	Rounded strike.
Packaging units	20	
Reversibility	All knobsets are reversible - Beware with the hands of some handles	


Pour plus d'informations, visitez www.tesa.es
ou envoyer un e-mail à marketing@tesa.es

Key-in-lever locksets

Functions







Function	Description	Function	Description
 00	ENTRANCE LOCK: both sides are locked and unlocked by outside key or inside turn-button.	 20	ENTRANCE LOCK: both sides are locked and unlocked by outside key or inside knob. Mortise lock. Applicable with electric strike.
 01	ENTRANCE LOCK: locked and unlocked only by outside key. If locked, inside knob/lever is not active.	 31	SINGLE DUMMY TRIM: screw attachment from inside of the door.
 01AP	ENTRANCE LOCK: locked and unlocked only by outside key. Inside always unlocked.	 32	DOUBLE DUMMY TRIM
 02	STOREROOM LOCK: outside fixed, entrance by key only. Inside always unlocked.	 33	ENTRANCE LOCK: both sides always unlocked. Applicable to mortise locks.
 03	BED AND BATHROOM LOCKS: both sides are locked and unlocked by the inside turn-button. Emergency release outside.	 34	ENTRANCE LOCK: always unlocked. Applicable to mortise locks.
 05	PASSAGE LOCK: both sides always unlocked.		
 07	OFFICE LOCK: key locks and unlocks each side separately. Leaf thickness: 40-50mm		







Code interpretation



Key-in-lever locksets

3500 Tulipa series

Entrance	Function	Backset	Finish	Packging
	3500	U0 UV	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Entrance	Function	Backset	Finish	Packging
	3501	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Entrance	Function	Backset	Finish	Packging
	3501AP	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Storeroom	Function	Backset	Finish	Packging
	3502	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Bathroom	Function	Backset	Finish	Packging
	3503	U0 UV	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Passage	Function	Backset	Finish	Packging
	3505	U0 UV	CM - CR - LM - LP - NS LA - BL - NE - AE	20

Office	Function	Backset	Finish	Packging
	3507	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Entrance	Function	Backset	Finish	Packging
	3520	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Single Pull knob	Function	Backset	Finish	Packging
	3531	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Double pull knob	Function	Backset	Finish	Packging
	3532	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Double sq.spindle	Function	Backset	Finish	Packging
	3533	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20
Single sq.spindle	Function	Backset	Finish	Packging
	3534	U0	CM - CR - LM - LP - NS LA - BL - NE - AE	20

