

Declaration of Performance No. DOP1008B

18.4.2016

MANUFACTURER:

Abloy Oy
Joensuu factory
 Wahlforssinkatu 20
 FI-80100 Joensuu
 FINLAND

System or systems of assessment and verification of constancy of performance of the construction product:
AVCP 1

NOTIFIED PRODUCT CERTIFICATION BODY:

Warrington Certification Limited
 ID No: 1121
 Holmesfield Road,
 Warrington
 Cheshire, WA1 2DS
 UK

Notified product certification body performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of the factory production control and continuous surveillance, assessment and evaluation of factory production control and issued the certificate of constancy of performance of the product.

No. **1121-CPR-AD5241**

PRODUCT AND DESCRIPTION

Type:
ABLOY DC330

Description:
 Controlled door closing devices (door closers)

Intended use:
 On fire and smoke compartmentation doors (to fulfil the self-closing requirements of such doors)

Arm:
 slide channel, size EN1-4

Classification			EN1154:1996/ A1:2002 + AC:2006 Building hardware. Controlled door closing devices.
4.2 Category of use	3	for closing doors from at least 105° (<170°)	
4.3 Number of test cycles	8	500 000 cycles	
4.4 Test door mass	1-4	power size adjustable	
4.5 Fire behaviour	1	Suitable for use on fire doors	
4.6 Safety	1	only grade 1 is identified	
4.7 Corrosion resistance	3	high resistance (96h)	

Brand	Type
ABLOY	DC330
TESA	CT450014
JPM	FP5400

Joensuu 18.4.2016

On behalf of Abloy Oy, Door Control



signature

Antti Piitulainen
 Vice President